5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org







Chief Technical Service Officer

## **CERTIFICATE OF LISTING**

**LEAD FREE** 

Chairman, Product Certification Committee

IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

#### COFLEX S.A. DE C.V.

HIDALGO NO 602 PTE. COL. CENTRO MONTERREY, NL 64000, Mexico

Product:

#### **Lead Free Plumbing Products**

Products are certified to the following standard(s)
Section 1417(d) of the Safe Drinking Water Act The lead
content requirements of Section 116875 of the California
Health & Safety Code
NSF/ANSI/CAN 372-2024

File Number: 12893 Revised Date: August 1, 2025

Effective Date: March 2021 Void After: March 2026\*

\*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

# IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

Issued To: COFLEX S.A. DE C.V. Effective Date: March 2021

LEAD FREE

File Number: 12893 Revised Date: August 1, 2025

**Product:** Lead Free Plumbing Products Void After: March 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

#### Identification:

Each product shall bear permanent and legible markings to identify the manufacturer. This marking shall be the trade name, trademark, or other mark known to identify the manufacturer. The product shall bear the appropriate IAPMO R&T certification mark. The product may also bear either "Lead Free" or "Low Lead" above or in close proximity to the IAPMO R&T certification mark.

#### **Characteristics:**

Products may include any pipe, pipe fitting, solder, flux, or other plumbing products providing water for human consumption. Products listed below are to be installed in accordance with the manufacturer's instruction. These products have been verified with weighted average lead content <=0.25%; Solder and flux lead content <=0.2%.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

## **CERTIFICATE OF LISTING**

Issued To: COFLEX S.A. DE C.V.

Effective Date: March 2021

LEAD FREE

File Number: 12893

Revised Date: August 1, 2025

Product: Lead Free Plumbing Products

Void After: March 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

#### Models

Plomer™

**Coflex**™

| Model Number | Description         |
|--------------|---------------------|
| HR300-WE     | Inner tubing 0.300" |
| HH300-WE     | Inner tubing 0.300" |

| Legend Format | Description  |
|---------------|--|
| MTU#-FL-**    | Flexible connectors  |
| М             | Mercado (represents various markets)   |
| []            | sin carácter / blank   |
| E =           | exportación / Export   |
| N =           | Nacional / National  |
| C =           | Constructor / Builder  |
| Т             | Trenzado / types of braiding   |
| A =           | Acero / Stainless steel  |
| V =           | vinilo / Vynil   |
| F =           | Forte / Forte  |
| M =           | monofilamento / Monofilament   |
| U             | Uso / Intend of use (Tipo de conector / Connector type)  |
| L =           | Lavabo / Lavatory  |
| F =           | Fregadero / Sink   |
| S =           | Sanitario / Water Closet   |
| #             | Numero del 1 al 9 que representa una variacion de la conexiónes de materiales diferentes por ejemplo (plástico-latón)/ Number 1-9 represents variations in the material of the end connection, i.e. Plastic- Brass |
| 2             | 1/2" x 1/2" - metalica o plastica / metal or plastic   |
| 0             | Guión / dash   |

## **CERTIFICATE OF LISTING**

Issued To: COFLEX S.A. DE C.V.

Effective Date: March 2021

LEAD FREE

File Number: 12893

Revised Date: August 1, 2025

Product: Lead Free Plumbing Products Void After: March 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

| 0        | Guión / dash  |  |
|----------|---|--|
| F        | Fittings: son las combinacion de espiga + empaque+tuerca desde A hasta Z (represents the fittings washer + gasket are identified with letter A to Z) [ ] sin carácter / blank                     |  |
| A-Z =    | 3-AR-BC01   |  |
|          | 3-AR-BC06   |  |
|          | 3-AR-BC11   |  |
|          | 3-AR-BC16   |  |
|          | 3-AR-BC21   |  |
|          | 3-AR-BC26   |  |
|          | 3-AR-BC31   |  |
|          | 3-AR-BC36   |  |
|          | 3-BCTO-WC +   |  |
|          | 3-W12BR-WS  |  |
|          | 3-W12CO-WS  |  |
|          | 3-W78CO-WS  |  |
|          | 3-W38CO-WN  |  |
|          | 3-W12CO-WN  |  |
|          | 3-W38FI-WS  |  |
|          | 3-W12PU-WN  |  |
|          | 3-W58PE-WS  |  |
| L        | representan la longitud del flexible / Flex connector length  |  |
| 20-500 = | 20 cm hasta 500 cm / 20 to 500 cm   |  |
| **       | Dos letras de la A a la Z que representa clientes , pais, o las opciones de distribución, o sin carácter (two letters represents various distribution store options, customers, contry or blank.) |  |
| A-Z      |   |  |
| Nota:    | Los flexibles pueden usar manguera interior con las claves 3-HH300-WE ó 3-HR300-WE  |  |
| Note:    | The flexibles connector use a inner hose with the part number 3-HH300-WE or 3-HR300-WE  |  |

PEX Fittings The following models are in compliance with NSF/ANSI/CAN 61, Section 4:

## **CERTIFICATE OF LISTING**

Issued To: COFLEX S.A. DE C.V.

Effective Date: March 2021

LEAD FREE

File Number: 12893

Revised Date: August 1, 2025

Product: Lead Free Plumbing Products

Void After: March 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

| Model Number  | Description   |
|---------------|---|
| 2-EL-AH11-CC  | ADAPTADOR HEMBRA ESPIGA LATÓN 1/2" X 1/2" FNPT        |
| 2-EL-AH22-CC  | ADAPTADOR HEMBRA ESPIGA LATÓN 3/4" X 3/4"             |
| 2-EL-AH33-CC  | ADAPTADOR HEMBRA ESPIGA LATÓN 1" X 1" FNPT            |
| 2-EL-AM11-CC  | ADAPTADOR MACHO ESPIGA LATÓN 1/2" X 1/2" MNPT         |
| 2-EL-AM12-CC  | ADAPTADOR MACHO 3/4" X 1/2" MNPT ESPIGA LATÓN         |
| 2-EL-AM22-CC  | ADAPTADOR MACHO ESPIGA LATÓN 3/4" X 3/4" MNPT         |
| 2-EL-AM23-CC  | ADAPTADOR MACHO ESPIGA LATÓN 3/4" X 1" MNPT           |
| 2-EL-AM33-CC  | ADAPTADOR MACHO ESPIGA LATÓN 1" x 1" MNPT             |
| 2-EL-CT11-CC  | COPLE ESPIGA LATÓN CON TUERCA 1/2" X 1/2" FNPT        |
| 2-EL-CT22-CC  | COPLE ESPIGA LATÓN CON TUERCA 3/4" X 3/4" FNPT        |
| 2-EL-CT33-CC  | COPLE ESPIGA LATÓN CON TUERCA 1" X 1" FNPT            |
| 2-EL-ET11-CC  | CODO ESPIGA LATÓN CON TUERCA 1/2" X 1/2" FNPT         |
| 2-EL-CU11-CC  | COPLE ESPIGA LATÓN 1/2" X 1/2"                        |
| 2-EL-CU12-CC  | COPLE ESPIGA LATÓN 3/4" X 1/2"                        |
| 2-EL-CU22-CC  | COPLE 3/4" ESPIGA LATÓN                               |
| 2-EL-CU32-CC  | COPLE REDUCCIÓN 3/4" X 1" ESPIGA LATÓN                |
| 2-EL-CU33-CC  | COPLE ESPIGA LATÓN 1" X 1"                            |
| 2-EL-EH11S-CC | CODO HEMBRA ESPIGA LATON CON SOPORTE 1/2" X 1/2" FNPT |
| 2-EL-EH22S-CC | CODO HEMBRA ESPIGA LATON CON SOPORTE 3/4" X 3/4" FNPT |
| 2-EL-EM11-CC  | CODO MACHO ESPIGA LATÓN 1/2" X 1/2" MNPT              |
| 2-EL-EM22-CC  | CODO MACHO 3/4" X 3/4" MNPT ESPIGA LATÓN              |
| 2-EL-EU11-CC  | CODO ESPIGA LATÓN 1/2" X 1/2"                         |
| 2-EL-EU21-CC  | CODO REDUCCIÓN 3/4" X 1/2" ESPIGA LATÓN               |
| 2-EL-EU22-CC  | CODO ESPIGA LATÓN 3/4" X 3/4"                         |
| 2-EL-EU33-CC  | CODO 1" X 1" ESPIGA LATÓN                             |
| 2-EL-TE111-CC | CONEXIÓN T ESPIGA LATÓN 1/2"                          |
| 2-EL-TE222-CC | TEE ESPIGA LATÓN 3/4" X 3/4"                          |
| 2-EL-TE333-CC | CONEXIÓN T 1" X 1" X 1" ESPIGA LATÓN                  |
| 2-EL-TE112-CC | CONEXIÓN T 1/2" X 1/2" X 3/4" ESPIGA LATÓN            |

## **CERTIFICATE OF LISTING**

Issued To: COFLEX S.A. DE C.V.

Effective Date: March 2021

LEAD FREE

File Number: 12893

Revised Date: August 1, 2025

Product: Lead Free Plumbing Products

Void After: March 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

| Model Number  | Description                                |
|---------------|--|
| 2-EL-TE211-CC | CONEXIÓN TEE ESPIGA LATÓN 3/4 X 1/2 X 1/2  |
| 2-EL-TE212-CC | CONEXIÓN T 3/4" X 1/2" X 3/4" ESPIGA LATÓN |
| 2-EL-TE221-CC | CONEXIÓN T 3/4" X 3/4" X 1/2" ESPIGA LATÓN |
| 2-EL-TE223-CC | CONEXIÓN T 3/4" X 3/4" X 1" ESPIGA LATÓN   |
| 2-EL-TE322-CC | CONEXIÓN T 1" X 3/4" X 3/4" ESPIGA LATÓN   |
| 2-EL-TE323-CC | CONEXIÓN T 1" X 3/4" X 1" ESPIGA LATÓN     |
| 2-EL-TE331-CC | TEE ESPIGA LATÓN 1" X 1" X 1/2"            |
| 2-EL-TE332-CC | TEE ESPIGA LATÓN 1" X 1" X 3/4"            |
|               |  |